

**That which is claimed is:**

1. A method of accessing descriptive information associated with a TDMA/GSM switch having an adjunct processor, the method comprising:  
incorporating at least a portion of a database of descriptive information with  
5 data provided to the adjunct processor to control the TDMA/GSM switch;  
accessing the adjunct processor to access the TDMA/GSM switch; and  
accessing the adjunct processor to access the portion of the database of descriptive information incorporated with the data provided to the adjunct processor.

10 2. The method of Claim 1, further comprising selecting the portion of the database incorporated with the data provided to the adjunct processor based on the data provided to the adjunct processor to control the TDMA/GSM switch.

15 3. The method of Claim 2, wherein the portion of the database comprises selected ones of a plurality of ALEXserv databases.

4. The method of Claim 2, wherein selecting the portion of the database incorporated with the data provided to the adjunct processor based on the data provided to the adjunct processor to control the TDMA/GSM switch, comprises:

20 selecting a first database associated with central function commands; and  
selecting a second database associated with base station and switch commands associated with the TDMA/GSM switch.

25 5. The method of Claim 1, wherein accessing the adjunct processor to access the TDMA/GSM switch and accessing the adjunct processor to access the portion of the database of descriptive information incorporated with the data provided to the adjunct processor are carried out in a single window of a terminal.

30 6. The method of Claim 1, wherein accessing the adjunct processor to access the portion of the database of descriptive information incorporated with the data provided to the adjunct processor comprise accessing the portion of the database of descriptive information utilizing command line commands.

7. The method of Claim 6, wherein the command line commands comprise at least one of a code description command and/or a print description command.

5 8. The method of Claim 1, wherein accessing the adjunct processor to access the portion of the database of descriptive information incorporated with the data provided to the adjunct processor comprises accessing the portion of the database of descriptive information utilizing a graphic user interface.

10 9. The method of Claim 1, wherein the TDMA/GSM switch comprises a GSM switch.

15 10. An adjunct processor of a TDMA/GSM switch, comprising:  
data provided to the adjunct processor to control the TDMA/GSM switch; and  
at least a portion of a database of descriptive information incorporated with the data provided to the adjunct processor to control the TDMA/GSM switch.

20 11. The adjunct processor of Claim 10, wherein the at least a portion of a database of descriptive information comprises a portion of the database of descriptive information corresponding to the data provided to the adjunct processor to control the TDMA/GSM switch.

12. The adjunct processor of Claim 11, wherein the portion of the database comprises selected ones of a plurality of ALEXserv databases.

25 13. The adjunct processor of Claim 11, wherein the portion of the database, comprises:

a first database associated with central function commands; and  
a second database associated with base station and switch commands

30 associated with the TDMA/GSM switch.

14. The adjunct processor of Claim 10, wherein the TDMA/GSM switch comprises a GSM switch.

15. A system for accessing descriptive information associated with a TDMA/GSM switch having an adjunct processor, the method comprising:  
means for incorporating at least a portion of a database of descriptive  
information with data provided to the adjunct processor to control the TDMA/GSM  
switch;  
means for accessing the adjunct processor to access the TDMA/GSM switch;  
and  
means for accessing the adjunct processor to access the portion of the database  
of descriptive information incorporated with the data provided to the adjunct  
processor.

16. The system of Claim 15, further comprising means for selecting the portion of the database incorporated with the data provided to the adjunct processor based on the data provided to the adjunct processor to control the TDMA/GSM switch.

17. The system of Claim 15, wherein the portion of the database comprises selected ones of a plurality of ALEXserv databases.

18. The system of Claim 15, wherein the portion of the database incorporated with the data provided to the adjunct processor based on the data provided to the adjunct processor to control the TDMA/GSM switch, comprises:  
a first database associated with central function commands; and  
a second database associated with base station and switch commands  
associated with the TDMA/GSM switch.

19. The system of Claim 15, wherein the means for accessing the adjunct processor to access the TDMA/GSM switch and the means for accessing the adjunct processor to access the portion of the database of descriptive information incorporated with the data provided to the adjunct processor comprises a single window of a terminal.

20. The system of Claim 15, wherein the means for accessing the adjunct processor to access the portion of the database of descriptive information incorporated with the data provided to the adjunct processor comprise means for accessing the portion of the database of descriptive information utilizing command line commands.

5

21. The system of Claim 20, wherein the command line commands comprise at least one of a code description command and/or a print description command.

10 22. The system of Claim 15, wherein the means for accessing the adjunct processor to access the portion of the database of descriptive information incorporated with the data provided to the adjunct processor comprises means for accessing the portion of the database of descriptive information utilizing a graphic user interface.

15 23. The system of Claim 15, wherein the TDMA/GSM switch comprises a GSM switch.

20 24. A computer program product for accessing descriptive information associated with a TDMA/GSM switch having an adjunct processor, the method comprising:

a computer readable medium having computer readable program code embodied therein, the computer readable program code comprising:

25 computer readable program code that incorporates at least a portion of a database of descriptive information with data provided to the adjunct processor to control the TDMA/GSM switch;

computer readable program code that accesses the adjunct processor to access the TDMA/GSM switch; and

30 computer readable program code that accesses the adjunct processor to access the portion of the database of descriptive information incorporated with the data provided to the adjunct processor.